

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 10

1200 Sixth Avenue, Suite 900 Seattle, WA 98101-3140

OFFICE OF WATER AND WATERSHEDS

DCT - 6 2017

Reply to Attn of: OWW-191

CERTIFIED MAIL- RETURN RECEIPT REQUESTED

Barry Burnell
Administrator
Water Quality Division
Idaho Department of Environmental Quality
1410 North Hilton
Boise, Idaho 83706

Re: Request for Preliminary Certification of the Draft

Idaho Small Municipal Separate Storm Sewer System General Permit (Idaho MS4GP),

#IDR040000

Dear Mr. Burnell:

Enclosed are revised drafts of the NPDES permit and fact sheet for the Idaho MS4GP. This draft package includes all relevant permit appendices as separate documents.

We are asking for the Idaho Department of Environmental Quality's review and preliminary Clean Water Act Section 401 Certification for this permit action. To help facilitate your review, my staff will schedule a meeting to address any questions you and your program managers may have on this revised package. We are hoping to have that meeting occur during the week of November 4, 2017 to allow time for your review and meet our schedule.

We would appreciate your certification within 45 days. We plan to include a reference to the preliminary Section 401 certification in our public notice and fact sheet, and will begin the formal public comment process on this action as soon as possible.

We are available to discuss these draft MS4GP documents with you and your staff at any time. If you have any questions on the enclosed materials, please contact Misha Vakoc at 206-553-6650 or vakoc.misha@epa.gov.

Sincerely,

Karen Burgess, Acting Manager

Maria Burra

NPDES Permits Unit

Enclosures (5)

cc: Don Essig, IDEQ (via email)
Nicole Deinarowicz, IDEQ (via email)
Mary Anne Nelson, IDEQ (via email)
A.J. Maupin, IDEQ (via email)
June Bergquist, IDEQ (via email)
John Cardwell, IDEQ (via email)
Lance Holloway, IDEQ (via email)
Katie Carberry, IDEQ (via email)
Lynn Van Every, IDEQ (via email)
Greg Mladenka, IDEQ (via email)

Troy Saffle, IDEQ (via email)